

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	(voltage adj regulator) and (level adj (shift\$3 or translat\$3 or convert\$3)) and (first near2 voltage) and (second near2 voltage) and (critical near2 voltage) and (power adj consumption)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:17
L2	17	("4595941"   "4835416"   "4890187"   "4918563"   "4922371"   "4978867"   "4980792"   "4982113"   "5041889"   "5121007"   "5124578"   "5134314"   "5189588"   "5239440"   "5287241"   "5343352"   "5345357").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/14 11:23
L3	910	(voltage adj regulator) and (level adj (shift\$3 or translat\$3 or convert\$3)) and (power adj consumption)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:53
L4	471	(voltage adj regulator) and (level adj (shift\$3 or translat\$3 or convert\$3)) and (reduce same (power adj consumption))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:54

L5	306	(voltage adj regulator) and (level adj (shift\$3 or translat\$3 or convert\$3)) and (reduce with (power adj consumption))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:54
L6	21	(voltage adj regulator) same (level adj (shift\$3 or translat\$3 or convert\$3)) same (reduce with (power adj consumption))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:55
L7	21	6 not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:55
L8	17	("4188585"   "4356412"   "4485433"   "4670673"   "4837460"   "4839787"   "4868908"   "4935644"   "4947061"   "5021680"   "5023476"   "5029282"   "5043605"   "5045772"   "5063304"   "5066873"   "5140196").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/14 12:50
L9	6	("6034562").URPN.	USPAT	OR	OFF	2008/03/14 12:54

3/ 14/ 08 12:57:16 PM

C:\ Documents and Settings\ DChang\ My Documents\ EAST\ Workspaces\ 11773427.wsp